

Table des matières

| | |
|---|---|
| 1. Systematic Reviews and Meta-Analysis | 1 |
| 2. Clinical Practice Guidelines | 1 |
| 2.1. National Comprehensive Cancer Network (NCCN, USA) 2022 ⊕ | 1 |
| 2.2. Fédération Bruxelloise de Soins Palliatifs et Continus (FBSP, Belgique) 2019 ⊕ | 1 |
| 2.3. NHS Scotland 2019 ⊕ | 1 |
| 2.4. National Institute for Health and Clinical Excellence (NICE, UK) 2016 ⊕ | 1 |

Nausea and Vomiting in palliative care

nausées et vomissements des soins palliatifs : évaluation de l'acupuncture

1. Systematic Reviews and Meta-Analysis

2. Clinical Practice Guidelines

⊕ positive recommendation (regardless of the level of evidence reported)
∅ negative recommendation (or lack of evidence)

2.1. National Comprehensive Cancer Network (NCCN, USA) 2022 ⊕

NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®) Palliative Care Version 1.2022 — March 8, 2022. https://www.nccn.org/professionals/physician_gls/pdf/palliative.pdf

Non specific nausea and vomiting : Consider non-pharmacologic therapies, such as acupuncture, hypnosis, and cognitive behavioral therapy

2.2. Fédération Bruxelloise de Soins Palliatifs et Continus (FBSP, Belgique) 2019 ⊕

Dyspnée. Palliaguide - Guidelines de soins palliatifs. Belgique 2019-12-27 : Réactualisation complète du domaine. <https://www.palliaguide.be/nausees-vomissements-soins-palliatifs/>

Si le contexte le permet, intégrer des techniques de médecine alternative, telles que la relaxation, l'hypnose ou l'**acupuncture**.

2.3. NHS Scotland 2019 ⊕

Nausea and Vomiting. Scottish Palliative Care Guidelines. 2019:12p. [197368].

Non-pharmacological measures are important and should be considered alongside the prescribing of appropriate anti-emetics. Measures include: [Acupressure bands (for example Seaband®), acupuncture],

2.4. National Institute for Health and Clinical Excellence (NICE, UK) 2016 ⊕

National Clinical Guideline Centre. Palliative care - nausea and vomiting. London (UK): National Institute for Health and Clinical Excellence (NICE). 2016;;46P. [193193].

Consider the use of complementary therapies; relaxation and acupressure bands may be useful to relieve symptoms.

From:

<http://wiki-mtc.org/> - Encyclopédie des sciences médicales chinoises

Permanent link:

<http://wiki-mtc.org/doku.php?id=acupuncture:evaluation:gerontologie:07.%20nausees%20et%20vomissements%20des%20soins%20palliatifs> 

Last update: **18 Apr 2026 15:28**